

THE ALL-IN EQUIPMENT
FOR YOUR BATHROOM

SETTING PROPOSALS,
FURNITURE &
PRODUCTS

USA PRODUCT SELECTION



noken
PORCELANOSA BATHROOMS

More*than*Water



THE **ALL-IN** EQUIPMENT
FOR YOUR BATHROOM

INDEX:

TOILETS	5	SHOWER COLUMNS	43
ELECTRONIC TOILET	6	OXO	45
OP TOILETS	7	TOUCH&FEEL	45
WALL-MOUNT TOILETS	9	TINA	45
		SMART	45
VANITIES	11	SHOWER BASES	47
ESSENCE C	12	SLATE	48
OXO	13	ACCESSORIES	49
PURE	14		
ARQUITECT	15		
NK CONCEPT	17		
VINTAGE	18	BATHS	51
MARNE	20	LIEM	52
		LOUNGE FLUID	53
		LOUNGE	54
		ARQUITECT	55
		CITY	56
FAUCETS	23	ACCESSORIES	59
ACCESSORIES	26	NK CONCEPT	60
KITCHEN FAUCETS	27	URBAN C	61
TUB FILLERS	29	HOTELS	62
SHOWERS	31	MIRRORS & SMART CABINETS	65
TOUCH&FEEL	32	MIRRORS	66
PRESSURE BALANCE	33	SMART CABINETS	67
THERMOSTATIC	34		
TUB SPOUT	35		
SHOWER HEADS	36		
BODY JETS	38		
SHOWER PACKS	39		
HANDSHOWERS & ACCESSORIES	41		



TOILETS



ELECTRONIC TOILET



100327719





I-COMFORT LINE. One-piece independant toilet with electronic seat and cover., required minimum 12" (30.5cm) rough-in, single flush 1.28gpf (4.8lpf) with auto-flush function, 7 31/64" x 5 45/64" (190x145mm) water surface, 1 7/8" (48mm) trap diameter, bulk removal rating = 650gr, includes wax ring gasket



OP TOILETS



100245953





NEW NK ONE. one-piece toilet, required minimum 12" (30.5cm) rough-in, uf soft-close seat and cover with stainless steel hinges, dual flush button 1.2/0.9 gpf (4.5/3.5lpf) with polished chrome top-mount flush actuator, 6 11/16" x 5 1/8" (170x130mm) water surface, 1 7/8" (50mm) trap diameter, bulk removal rating = 950gr





100286420





NEW NK ONE. 26-3/4"X14-3/16"X30-11/16", one-piece toilet with uf soft close seat, required minimum 12" (30.5cm) rough-in, dual flush 1.2/0.9 gpf (4.5/3.5lpf) with satin chrome side trip lever, 6 11/16" x 5 1/8" (170x130mm) water surface, 1 7/8" (48mm) trap diameter, bulk removal rating = 1000gr, ada comply





100179903





URBAN C. One-piece toilet, Required minimum 12" (30.5cm) rough-in, UF Soft-close seat and cover with stainless steel hinges, Dual flush button 1.2/0.8 GPF (4.5/3LPF) with polished chrome top-mount flush actuator, 6 11/16" x 5 1/8" (170x130mm) water surface, 1 7/8" (48mm) trap diameter, Bulk removal rating = 1000gr





100269499





URBAN C. One-piece toilet with UF soft close seat, Required minimum 12" (30.5cm) rough-in, Dual flush 1.2/0.8 GPF (4.5/3LPF) with brushed chrome side-mount flush actuator, 6 11/16" x 5 1/8" (170x130mm) water surface, 1 7/8" (48mm) trap diameter, Bulk removal rating = 1000gr, ADA Comply





100324350





MARNE. Two pieces toilet, Required minimum 12" (30.5cm) rough-in, Single flush of 1.2 GPF - 4.5 liters, Polypropilene seat and cover (100324351) and tank (100324338) to be ordered separately., Bulk removal rating = 800gr, ADA Comply



100151100

ACCESSORIES. reinforced wax ring seal for one piece toilets outlet





100324338





MARNE. Two pieces tank, With single flush valve of 1.2 GPF (4.5 Lpf), Chromed push button actuator on side., Toilet (100324350) and polypropilene seat and cover (100324351) required for correct installation

100324351 

MARNE. Soft-close PP seat and cover



WALL-MOUNT TOILETS



100144090  white

ARQUITECT. wall-mount toilet, works with 1.6-0.8gpf (6.0-3.0lpf) and water surface area 5"x4", 2 1/8" fully-glazed trapway



 white

100122004

ARQUITECT. soft-close seat and cover





100104504  chrome

SMART LINE. double flush button





100145481

SMART LINE. in-wall tank with carrier system for wall mount toilet, reduced thickness (for 2x4 studs), includes the fixings kit and connecting pipes for the toilet, dual flush 1.6 gpf-0.8 gpf, tested with "Arquitect" wall mounted toilet from noken



100041087  white

ACCESSORIES. protection for wall-mount toilets and wall mount bidet





VANITIES



ESSENCE C 31-1/2"

  100200808  white

● ● ●

ESSENCE C. 31-1/2", wall-mount lavatory, product comes with overflow, fixing kit 100041225 included, with one faucet hole, compatible with Essence C vanity



100236888  walnut_matt black

ESSENCE C. 31-1/2", Wall hung vanity, front of the drawer made of walnut wood, aluminium door handle, slowed down closure.



ESSENCE C 55-1/8"

  100200976  white

● ● ●

ESSENCE C. 55-1/8", wall-mount lavatory, product comes with overflow, fixing kit 100041225 included, with one faucet hole, compatible with Essence C vanity



100236909  walnut_matt black

ESSENCE C. 55-1/8", Wall hung vanity, front of the drawer made of walnut wood,, with aluminium door handle, and slowed down closure.



OXO 33-15/32"

NEW   100333292  white

OXO. 14 1/16 X 26", drop-in sink, with overflow, clicker sink drain with ceramic cover included (installed in the sink), it is required to order the tail piece (100040079)



NEW 100347676  oak_matt black

OXO. 33-15/32", wall mounted vanity, Exterior surface made of Project Tech, Drawer with handle and slow closure





PURE 31-1/2"

100210505 matt black

PURE. 31-1/2", wall hung vanity, 1 drawer with soft-close system



100189733 white



PURE LINE. 31-1/2", wall-mount sink, product comes with overflow, fixing kit 100041225 included, with one faucet hole, compatible with Pure vanity



100214079 mirror_matt black

PURE. 62-63/64", wall mounted cabinet, double position/reversible, one door and 4 glass shelves



ARQUITECT 31-1/2"

100327121 white

RONDO. Ø 16 3/4", vessel sink, with overflow



100200789 white

100229825 matt white

100285106 matt black

ARQUITECT. 16 9/16 X 16 9/16", vessel sink, without overflow, free flow waste required



100200797 white

ARQUITECT. 16 15/16 X 28 3/4", vessel sink, without overflow, free flow waste required



100351039 matt white

100351041 matt black

ARQUITECT. 31-1/2", Wall-mount vanity, With External surface Project Tech, With one drawer with soft-close system, With handle, Front with copper mirror





ARQUITECT 55-1/8"

100327121 white

RONDO. Ø 16 3/4", vessel sink, with overflow



100200789 white

100229825 matt white

100285106 matt black



ARQUITECT. 16 9/16 X 16 9/16", vessel sink, without overflow, free flow waste required

100351038 matt white

100351040 matt black

ARQUITECT. 55-1/8", Wall-mount vanity, With External surface Project Tech, With two drawers with soft-close system, With handle, Front with copper mirror



NK CONCEPT 25-9/16"

100320692 white

NK CONCEPT. wall-mount sink, product comes with overflow, fixing kit 100041225 included



100318579 white

100318569 grey oak

NK CONCEPT. 25-9/16", Wall hung vanity, 2 drawers with soft close, Two models of handles are included:, round black and linear chrome.



NK CONCEPT 31-5/16"

100316804 white

NK CONCEPT. wall-mount sink, product comes with overflow, fixing kit 100041225 included



100318583 white

100318585 grey oak

NK CONCEPT. 31-5/16", Wall hung vanity, 2 drawers with soft close, Two models of handles are included:, round black and linear chrome.



NK CONCEPT 46-7/8"

100316717 white


NK CONCEPT. wall-mount sink, product comes with overflow, fixing kit 100041225 included



100318568 white

100318584 grey oak

NK CONCEPT. 46-7/8", Wall hung vanity, 4 drawers with soft close, Two models of handles are included:, round black and linear chrome.





VINTAGE 31-1/2" - XL LAKE

SP

US

ADA

COMPLIANT

MASS

100096191

white

OPTIONS XL LAKE. 18-7/8", vessel sink, product comes with overflow

SP

US

ADA

COMPLIANT

MASS

100210221

carrara marble

VINTAGE. 31-1/2", countertop of marble, for xl lake vessel sink, furniture (100210171 or 100210170) is required

SP

US

ADA

COMPLIANT

MASS

100210171

grey oak

VINTAGE. 31-1/2", freestanding, soft close drawer, counter-top(100210221 or 100210201) is required, sink depends of the selected countertop

page | 18

noken PORCELANOSA BATHROOMS

VINTAGE 31-1/2" - SOTTO

SP

US

ADA

COMPLIANT

MASS

100120592

white

SOTTO. 17-15/16" X 13-3/8", under-mount sink, product comes with overflow, fixing kit 100041307 needed

SP

US

ADA

COMPLIANT

MASS

100210201

carrara marble

VINTAGE. 31-1/2", countertop of marble, for sotto under-mount sink, furniture (100210171 or 100210170) is required

SP

US

ADA

COMPLIANT

MASS

100210171

grey oak

VINTAGE. 31-1/2", freestanding, soft close drawer, counter-top(100210221 or 100210201) is required, sink depends of the selected countertop

VINTAGE 59-1/16" - SOTTO

SP

US

ADA

COMPLIANT

MASS

100120592

white

SOTTO. 17-15/16" X 13-3/8", under-mount sink, product comes with overflow, fixing kit 100041307 needed

SP

US

ADA

COMPLIANT

MASS

100233721

carrara marble

VINTAGE. 59-1/16", countertop of marble, for sotto under-mount sink, furniture (100233846)

SP

US

ADA

COMPLIANT

MASS

100233846

grey oak

VINTAGE. 59-1/16", freestanding, 4soft close drawers, counter-top(100210201) is required

page | 19

noken PORCELANOSA BATHROOMS



MARNE 23-7/16"

NEW

C

US

100340537

●

white

ADA

COMPLIANT

●

●

●

MARNE. wall-mount sink, product comes with overflow, fixing kit 100041225 included



- NEW
- 100344110

●

white
- 100344112

●

ash cherry
- 100344111

●

anthracite
- 100344113

●

wenge oak



MARNE. 19-11/16", Wallhung vanity, with two doors, and reversible, Soft close system

- NEW
- 100343932

●

white
- 100343944

●

ash cherry
- 100343938

●

anthracite
- 100343950

●

wenge oak



MARNE. 23-7/16", wall hung vanity, 1 drawer with soft close, aluminium door handle

- NEW
- 100343931

●

white
- 100343943

●

ash cherry
- 100343937

●

anthracite
- 100343949

●

wenge oak



MARNE. 23-7/16", wall hung vanity, 2 drawers with soft close, aluminium door handle

MARNE 31-5/16"

NEW

C

US

100340536

●

white

ADA

COMPLIANT

●

●

●

MARNE. wall-mount sink, product comes with overflow, fixing kit 100041225 included



- NEW
- 100344110

●

white
- 100344112

●

ash cherry
- 100344111

●

anthracite
- 100344113

●

wenge oak



MARNE. 19-11/16", Wallhung vanity, with two doors, and reversible, Soft close system

- NEW
- 100343934

●

white
- 100343946

●

ash cherry
- 100343940

●

anthracite
- 100343952

●

wenge oak



MARNE. 31-5/16", wall hung vanity, 1 drawer with soft close, aluminium door handle

- NEW
- 100343933

●

white
- 100343945

●

ash cherry
- 100343939

●

anthracite
- 100343951

●

wenge oak



MARNE. 31-5/16", wall hung vanity, 2 drawers with soft close, aluminium door handle

NEW

C

US

100340535

●

white

ADA

COMPLIANT

●

●

●

MARNE. wall-mount sink, product comes with overflow, fixing kit 100041225 included



- NEW
- 100344110

●

white
- 100344112

●

ash cherry
- 100344111

●

anthracite
- 100344113

●

wenge oak



MARNE. 19-11/16", Wallhung vanity, with two doors, and reversible, Soft close system

- NEW
- 100343936

●

white
- 100343948

●

ash cherry
- 100343942

●

anthracite
- 100343954

●

wenge oak



MARNE. 46-7/8", wall hung vanity, 2 drawers with soft close, aluminium door handle

- NEW
- 100343935

●

white
- 100343947

●

ash cherry
- 100343941

●

anthracite
- 100343953

●

wenge oak



MARNE. 46-7/8", wall hung vanity, 4 drawers with soft close, aluminium door handle



FAUCETS



SP

LOW LEAD

CONTROL

Meets

CALGreen

standards

ADA

COMPLIANT

MASS

100283560

chrome

LIGNAGE. single control lavatory faucet, without pop-up drain, 6" spout reach, ø1 ceramic cartridge, plus aerator, flow rate 1.2gpm@60psi, flexible connections for easy installation

SP

LOW LEAD

CONTROL

Meets

CALGreen

standards

ADA

COMPLIANT

MASS

100286710

chrome

SP

LOW LEAD

CONTROL

Meets

CALGreen

standards

ADA

COMPLIANT

MASS

100286706

matt black

OXO. single control lavatory faucet with cold-water opening, without pop-up drain, 4 15/16" spout reach, adjustable plus aerator, ø1 3/8" ceramic cartridge, flow rate 1.2 gpm@60psi, flexible connections for easy installation

SP

LOW LEAD

CONTROL

Meets

CALGreen

standards

ADA

COMPLIANT

MASS

100224927

chrome

SP

LOW LEAD

CONTROL

Meets

CALGreen

standards

ADA

COMPLIANT

MASS

100224928

matt black

ROUND. single control lavatory faucet with cold-water opening, without pop-up drain, 4 7/8" spout reach, plus aerator, ø1 3/8" ceramic cartridge, flow rate 1.2 gpm@60psi, flexible connections for easy installation

NEW

100343264

chrome

NEW

100343265

matt black

URBAN N. single control lavatory faucet with cold-water opening, without pop-up drain, 4 11/16" spout reach, ø1 ceramic cartridge, plus aerator, flow rate 1.2gpm@60psi, flexible connections for easy installation

SP

LOW LEAD

CONTROL

Meets

CALGreen

standards

ADA

COMPLIANT

MASS

100141279

chrome

HOTELS. single control lavatory faucet, without pop-up drain, 4 5/16" spout reach, ø1" ceramic cartridge, plus aerator, flow rate 1.2 gpm@60psi, flexible connections for easy installation

SP

LOW LEAD

CONTROL

Meets

CALGreen

standards

ADA

COMPLIANT

MASS

100143790

chrome

LOUNGE. single control lavatory faucet, without pop-up drain, 6 7/8" spout reach, ø1 ceramic cartridge, plus aerator, flow rate 1.2gpm@60psi, flexible connections for easy installation

SP

LOW LEAD

CONTROL

Meets

CALGreen

standards

ADA

COMPLIANT

MASS

100286694

chrome

SP

LOW LEAD

CONTROL

Meets

CALGreen

standards

ADA

COMPLIANT

MASS

100286686

matt black

SQUARE. single control lavatory faucet, without pop-up drain, 5 1/16" spout reach, adjustable plus aerator, ø1" ceramic cartridge, flow rate 1.2 gpm@60psi, flexible connections for easy installation

LOW LEAD

CONTROL

Meets

CALGreen

standards

ADA

COMPLIANT

MASS

100095032

chrome

NK ONE. single control lavatory faucet, pop-up drain with 1-1/4" tail piece, 4 9/16" spout reach, plus aerator, ø1" ceramic cartridge, flow rate 1.13 gpm@60psi, flexible connections for easy installation. the faucet complies with ada requirements, but not the drain. to meet ada requirements, the drain must be replaced by a clicker drain.

LOW LEAD

CONTROL

Meets

CALGreen

standards

ADA

COMPLIANT

MASS

100237625

chrome

CURVE. single control lavatory faucet, with pop-up drain, 6 9/16" spout reach, ø1 3/8" ceramic cartridge, plus aerator, flow rate 1.2 gpm@60psi, flexible connections for easy installation

2024 - BATH SPECIALS USA

page | 25

noken PORCELANOSA BATHROOMS

HIGH SPOUT



100229332

chrome

100229304

matt black

ROUND. single control vessel faucet with cold-water opening, without pop-up drain, 6 11/16" spout reach, plus aerator, flow rate 1.2 gpm@60psi, flexible connections for easy installation





100141293

chrome

HOTELS. single control vessel faucet, without pop-up drain, 6 11/16" spout reach, plus aerator, flow rate 1.2 gpm@60psi, flexible connections for easy installation



ACCESSORIES



100207633

chrome

100225142

matt black

ACCESSORIES VACIADOR. universal freeflow lavatory drain, with tail piece





100121017

chrome

100225001

matt black

HOTELS. 1-1/4", bottle trap





100209767

chrome

100234042

matt black

PROJECT N. 1-1/4", p-trap





100210507

chrome

PROJECT N. 1-1/2", p-trap, with clean out, includes an o-ring to adapt the inlet from 1-1/2" to 1-1/4"





100207650

chrome

100225141

matt black

ACCESSORIES VACIADOR. universal clicker drain, with tail piece



KITCHEN FAUCETS



100158937

chrome

URBAN STICK XS. single control kitchen faucet, swivel spout, ø1" ceramic cartridge, plus aerator, flow rate 1.75 gpm@60psi, length of hoses 18-11/16", flexible connections for easy installation





100158899

chrome

URBAN STICK XS. single control kitchen faucet, with pull-out shower, ø1" ceramic cartridge, plus aerator, flow rate 1.75 gpm@60psi, length of hoses 18-11/16", flexible connections for easy installation





TUB FILLERS

100281887  chrome

SQUARE. freestanding tub filler, 9 5/8" spout reach, plus aerator, smartbox bath 100160520 necessary for installation, flow rate bath 3.9 gpm@43.5 psi, flow rate shower 2.2 gpm@43.5 psi



100281893  matt black

SQUARE. freestanding tub filler, 9 5/8" spout reach, plus aerator, smartbox bath 100160520 necessary for installation, flow rate bath 3.9 gpm@43.5 psi, flow rate shower 2.2 gpm@43.5 psi



  100224957  chrome

ROUND. freestanding tub filler, 9 13/16" spout reach, plus aerator, smartbox bath 100160520 necessary for installation, flow rate bath 4.9 gpm@43.5 psi, flow rate shower 1.75 gpm@80 psi



  100224976  matt black

ROUND. freestanding tub filler, 9 13/16" spout reach, plus aerator, smartbox bath 100160520 necessary for installation, flow rate bath 4.9 gpm@43.5 psi, flow rate shower 1.75 gpm@80 psi



 100239107  chrome

SQUARE. freestanding tub filler, 9-17/32" spout reach, plus aerator, flexi connections for easy installation. flow rate: tub spout 4.5 gpm. @ 43.5 psi. and handshower 1.8 gpm. @ 43.5 psi.



  100160520  chrome

SMART BOX SMART BOX BATH. rough-in valve, for floor-mount installation



  100160520  chrome

SMART BOX SMART BOX BATH. rough-in valve, for floor-mount installation



  100160520  chrome

SMART BOX SMART BOX BATH. rough-in valve, for floor-mount installation



  100160520  chrome

SMART BOX SMART BOX BATH. rough-in valve, for floor-mount installation







SHOWERS



TOUCH&FEEL



TOUCH&FEEL. thermostatic concealed bath/shower mixer with 2 outlets, thermostatic cartridge, thermostatic cartridge. connections 1/2". trim kit and project line body included, the flow rate 5.5 gpm@45psi for both outlets, possibility to combine functions simultaneously, trims for hand shower and rain buttons installed, it incorporates additionally a cascade trim button interchangeable



TOUCH&FEEL. thermostatic concealed bath/shower mixer with 3 outlets, thermostatic cartridge, inlet connections 3/4", outlet connections 1/2", trim kit and smart box body included, the flow rate is 5.2 gpm@45psi for both lateral outlets and 5.8 gpm@45psi for the upper outlet, possibility to combine functions simultaneously, trims for hand shower, rain and cascade buttons installed. additionally it's included a central jet trim button interchangeable




TOUCH&FEEL. pressure balance concealed bath/shower mixer with 2 outlets, ø40 mm ceramic cartrdige, connections 1/2". trim kit and project line body included, the flow rate 5.2 gpm@45psi for both outlets, possibility to combine functions simultaneously, trims for hand shower and rain buttons installed, it incorporates additionally a cascade trim button interchangeable




PRESSURE BALANCE




SQUARE. pressure balance trim, pressure balance rough-in valve code 100160421 required



PROJECT LINE. pressure balance rough in valve, flow rate 5.4 gpm@45psi



RONDO. pressure balance trim, pressure balance rough-in valve code 100160421 required



PROJECT LINE. pressure balance rough in valve, flow rate 5.4 gpm@45psi



SQUARE. pressure balance with diverter trim, pressure balance with diverter rough-in valve code 100160440 required



PROJECT LINE. pressure balance with diverter rough in valve, flow rate shower 4.9 gpm@45psi and flow rate bath 5.2 gpm@45psi



RONDO. pressure balance with diverter trim, pressure balance with diverter rough-in valve code 100160440 required



PROJECT LINE. pressure balance with diverter rough in valve, flow rate shower 4.9 gpm@45psi and flow rate bath 5.2 gpm@45psi



THERMOSTATIC

 **100081777**  chrome
100229340  matt black

SQUARE. trim kit for the thermostatic valve 2 ways, thermostatic rough-in valve 2 ways code 100238833 required



 **100238833**

PROJECT LINE. thermostatic valve 2 way, flow rate shower 5.5gpm@45psi, flow rate bath 6.2gpm@45psi



 **100081778**  chrome
100229276  matt black

URBAN. trim kit for the thermostatic valve 2 ways, thermostatic rough-in valve 2 ways code 100238833 required



 **100238833**

PROJECT LINE. thermostatic valve 2 way, flow rate shower 5.5gpm@45psi, flow rate bath 6.2gpm@45psi



 **100180557**  chrome
100229325  matt black

SQUARE. trim kit for the thermostatic valve 3 ways, thermostatic rough-in valve 3 ways code 100238860 required



 **100238860**

PROJECT LINE. thermostatic valve 3 way, flow rate for both shower outputs is 5.3gpm@43.5psi, flow rate bath 5.9gpm@43.5psi



 **100180558**  chrome
100229277  matt black

URBAN. trim kit for the thermostatic valve 3 ways, thermostatic rough-in valve 3 ways code 100238860 required



 **100238860**

PROJECT LINE. thermostatic valve 3 way, flow rate for both shower outputs is 5.3gpm@43.5psi, flow rate bath 5.9gpm@43.5psi



 **100104973**  chrome

SQUARE. trim kit for thermostatic valve 3 ways, thermostatic rough-in valve 3 ways code 100238813 required



 **100104972**  chrome

URBAN. trim kit for thermostatic valve 3 ways, thermostatic rough-in valve 3 ways code 100238813 required



 **100238813**

PROJECT LINE. thermostatic valve 3 ways, flow rate shower 5.3gpm@45psi, flow rate bath 5.8gpm@45ps, flow rate high flow output 9.3gpm@45psi



 **100238813**

PROJECT LINE. thermostatic valve 3 ways, flow rate shower 5.3gpm@45psi, flow rate bath 5.8gpm@45ps, flow rate high flow output 9.3gpm@45psi



TUB SPOUT

  **100312626**  chrome
100312631  matt black

SQUARE. tub spout 1/2", 8-5/64" spout reach, plus aerator, flow rate is 6.7 gpm@43.5psi



  **100312652**  chrome
100312653  matt black

ROUND N. Tub spout 1/2", 7-7/8" spout reach, Plus aerator, Flow rate is 4.9 gpm@43.5psi





SHOWER HEADS



MASS

Meets CALGreen standards

100159823



polished stainless steel

FORMA. 9-13/16" X 17-11/16", rain + waterfall shower head, aisi304 polished stainless steel, with 1/2" connectors, flow rate rain 2.5gpm@45psi, flow rate waterfall 2.5gpm@45psi





MASS

Meets CALGreen standards

100141901



polished stainless steel

SQUARE. 10-1/4" X 21-7/8", rain + waterfall shower head, aisi304 polished stainless steel, with 1/2" connectors, flow rate rain 2.5gpm@45psi, flow rate waterfall 2.5gpm@45psi





MASS

Meets CALGreen standards

100064923



chrome

100225023



matt black

ROUND. 8", rain shower head, with ball joint, flow limiter 1.75gpm @ 80psi





MASS

Meets CALGreen standards

100067709



chrome

ROUND. 12", rain shower, with ball joint, flow limiter 2.5gpm @ 80psi





MASS

Meets CALGreen standards

100064924



chrome

100286529



matt black

SQUARE. 8", rain shower head, with ball joint, flow limiter 1.75gpm @ 80psi





MASS

Meets CALGreen standards

100065585



chrome

100225021



matt black

ROUND BRAZO. 15", shower head arm, wall connection





MASS

Meets CALGreen standards

100065577



chrome

100286515



matt black

SQUARE BRAZO. 15", shower head arm, wall connection





MASS

Meets CALGreen standards

100104910



chrome

100225022



matt black

ROUND. 6", rain shower head, with ball joint, flow limiter 1.8gpm @ 80psi





MASS

Meets CALGreen standards

100104964



chrome

SQUARE. 6", square shower head, with ball joint, flow limiter 1.8gpm @ 80psi





MASS

Meets CALGreen standards

100067715



chrome

SQUARE. 12", square rain shower head, with ball joint, flow limiter 2.5gpm @ 80psi





MASS

Meets CALGreen standards

100067708



chrome

100229047



matt black

ROUND BRAZO. 6", shower head arm, ceiling connection





MASS

Meets CALGreen standards

100067716



chrome

100286495



matt black

SQUARE BRAZO. 6", shower head arm, ceiling connection





MASS

Meets CALGreen standards

100104962



chrome

100224983



matt black

ROUND. 7", shower head arm, wall connection





MASS

Meets CALGreen standards

100104963



chrome

SQUARE BRAZO. 7", shower head arm, wall connection




page | 36

noken PORCELANOSA BATHROOMS

page | 37

noken PORCELANOSA BATHROOMS

2024 - BATH SPECIALS USA



BODY JETS





100067712

 chrome

100286546

 matt black

ROUND JET. wall-mount body jet 1/2", flow rate required:
1.4gpm@80psi







100067711

 chrome

100286509

 matt black

SQUARE. wall-mount body jet 1/2", flow rate required:
1.6gpm@80psi







100095029

 chrome

ROUND. 1/2" concealed body jet, flow limiter: 1.1 gpm@80 psi







100095030

 chrome

LOUNGE. 1/2" concealed body jet, flow limiter: 1.1 gpm@80 psi



SHOWER PACKS





Meets CALGreen standards

100121346

 chrome

100286498

 matt black

RONDO. shower pack, included:, handshower bar with bracket
and 1 function handshower (100067714) and flexi hose
(100144908)







Meets CALGreen standards

100121347

 chrome

100286536

 matt black

SQUARE. shower pack, included:, handshower bar with bracket
and 1 function handshower (100067713) and flexi hose
(100144908)







100121349

 chrome

100286550

 matt black

ROUND. wall-mount supply elbow, vacuum breaker included







100121351

 chrome

100286547

 matt black

SQUARE. wall-mount supply elbow, vacuum breaker included





HANDSHOWERS & ACCESSORIES

- 

Meets
CALGreen
standards

100067714

 chrome



Meets
CALGreen
standards

100225013

 matt black
- ROUND. single function handshower, flow rate 1.5gpm@80psi
-
- 

Meets
CALGreen
standards

100067713

 chrome



Meets
CALGreen
standards

100286535

 matt black

SQUARE. single function handshower, flow rate 1.8gpm@80psi



Meets
CALGreen
standards

100121348

 chrome



Meets
CALGreen
standards

100225020

 matt black

ROUND. wall handshower holder, with water supply elbow, vacuum breaker included



Meets
CALGreen
standards

100121350

 chrome



Meets
CALGreen
standards

100286560

 matt black

SQUARE. wall handshower holder, with water supply elbow, vacuum breaker included



Meets
CALGreen
standards

100144963

 chrome



Meets
CALGreen
standards

100229342

 matt black

ACCESSORIES FLEXIBLE. 59-1/16", flexi shower hose, twist free

2024 - BATH SPECIALS USA

page | 41

noken PORCELANOSA BATHROOMS



SHOWER COLUMNS



OXO

NEW

100333800  polished stainless steel

100333801  matt black

OXO. 45 1/16 X 21 7/8 X 19 11/16, Thermostatic shower column with built-in wax thermoelement and satin stainless structure, Integrated shower head, hand shower support fixed on the column and concealed bottom outlet, 3 rain functions handshower with diverter, With 1/2 "connections, It includes an anti-return valve, a safety stop at 100,4°F, The flow rate at 3 bars of the hand shower is 1,75 gpm, for shower head 1,8 gpm, for jets 3,9 gpm and for spout 4,4 gpm



TOUCH&FEEL



100291205  chrome

100291204  matt black

TOUCH&FEEL. 44 3/8 X 15 15/16 X 20 15/16, thermostatic shower column with built-in wax thermoelement, glass shelf, shower head, slider hand shower bracket and multifunction hand shower, connections of 1/2 "and a distance of 5 7/8" between them, it includes a non-return valve and safety stop at 38°, the flow rate at 80PSI of the hand shower is 0,99 gpm and of the shower head 1,2 gpm



100291221  chrome

100291203  matt black

TOUCH&FEEL. 44 11/16 X 15 15/16 X 21 23/32, thermostatic shower column with built-in wax thermoelement, glass shelf, shower head, slider hand shower bracket and multifunction hand shower, connections of 1/2 "and a distance of 5 7/8" between them, it includes a non-return valve and safety stop at 38°, the flow rate at 80PSI of the hand shower is 0,95 gpm and of the shower head 1,3 gpm



TINA



100223974  chrome



TINA. 44 11/64 X 10 7/16 X 19 11/16, thermostatic shower column with built-in wax thermoelement, shower head, rail with slider hand shower bracket, hand shower and additional "joy" hand shower, connections of 1/2 "and a distance of 5 7/8"± 9/16" between them, it includes a non-return valve, the flow rate at 80psi of the hand shower is 1,7 gpm and of the shower head 1,65 gpm



SMART



100223946  chrome



100283346  matt black

SMART. 43 5/16 X 11 19/64 X 15 3/4, thermostatic shower column with built-in wax thermoelement, shower head, rail with slider hand shower bracket and smart multifunction hand shower, connections of 1/2 "and a distance of 5 7/8"± 9/16" between them, it includes a non-return valve and safety stop at 38°, the flow rate at 80psi of the hand shower is 1,76 gpm and of the shower head 1,79 gpm





SHOWER BASES

SLATE

62-1/3" X 31-1/3"



SLATE USA MINERAL STONE PLUS. 62-1/3" X 31-1/3", 62-1/3" X 31-1/3" shower base, stainless steel drain plate included, tile flange included, for other special colors, consult the factory. minimum order quantity of 10 pieces per reference, easy installation: alcove, left corner, right corner and center, base can be cut on-site. check installation manual for limitations, low-threshold design for easy entry and exit



48X32"



SLATE USA MINERAL STONE PLUS. 48X32", 48X32" shower base, stainless steel drain plate included, tile flange included, for other special colors, consult the factory. minimum order quantity of 10 pieces per reference, easy installation: alcove, left corner, right corner and center, base can be cut on-site. check installation manual for limitations, low-threshold design for easy entry and exit



60X36"




SLATE USA MINERAL STONE PLUS. 60X36", 60X36" shower base, stainless steel drain plate included, tile flange included, for other special colors, consult the factory. minimum order quantity of 10 pieces per reference, easy installation: alcove, left corner, right corner and center, base can be cut on-site. check installation manual for limitations, low-threshold design for easy entry and exit



36X36"



SLATE USA MINERAL STONE PLUS. 36X36", 36X36" shower base, stainless steel drain plate included, tile flange included, for other special colors, consult the factory. minimum order quantity of 10 pieces per reference, easy installation: alcove, left corner, right corner and center, base can be cut on-site. check installation manual for limitations, low-threshold design for easy entry and exit



48X36"



SLATE USA MINERAL STONE PLUS. 48X36", 48X36" shower base, stainless steel drain plate included, tile flange included, for other special colors, consult the factory. minimum order quantity of 10 pieces per reference, easy installation: alcove, left corner, right corner and center, base can be cut on-site. check installation manual for limitations, low-threshold design for easy entry and exit



60X32"



SLATE USA MINERAL STONE PLUS. 60X32", 60X32" shower base, stainless steel drain plate included, tile flange included, for other special colors, consult the factory. minimum order quantity of 10 pieces per reference, easy installation: alcove, left corner, right corner and center, base can be cut on-site. check installation manual for limitations, low-threshold design for easy entry and exit



ACCESSORIES



100303794 stainless steel

COMPLEMENTOS. 3.2", USA shower tray valve D3.2" (82MM), stainless steel cover trim, body in brass



100286316 stainless steel

COMPLEMENTOS. 3.2", USA shower tray valve D3.2" (82MM), stainless steel cover trim, body in ABS



100349513 matt black

COMPLEMENTOS. 5-5/64" X 5-5/64", Metallic grid for USA shower trays.





BATHS



LIEM

73X38"

100282059

glossy white

LIEM. 73X38", bathtub, freestanding, without brassware, with shelf for taps, oval, one-piece, center bath waste, sanitary acrylic, brass pipe adaptor included 100200763



LOUNGE FLUID

67X31"

100341912

glossy white

100341913

mat white

LOUNGE FLUID. 67X31", freestanding, without brassware, oval, one-piece, double ended, center drain, sanitary acrylic, brass pipe adaptor included





LOUNGE

67X31"



100322581 glossy white

100322578 matt white

LOUNGE. 67X31", freestanding, without brassware, oval, one-piece, double ended, center drain, sanitary acrylic, brass pipe adaptor included



ARQUITECT

67X31"



100322537 glossy white

100322525 matt white

ARQUITECT. 67X31", freestanding, without brassware, oval, one-piece, double ended, center drain, sanitary acrylic, brass pipe adaptor included





CITY

60X32"

  100093071  glossy white

CITY. 60X32", rectangular bathtub, single ended, drain in the feet area, drop-in installation or for alcove, 3/16" sanitary acrylic, bath waste not included, request the bath waste code 100093720 or 100161766



60X32" DRAIN RIGHT

  100160234  glossy white

CITY. 60X32", rectangular bathtub, integrated apron and flange, drain right, alcove installation, 3/16" sanitary acrylic, bath waste not included, request the bath waste code 100093720 or 100161766



60X32" DRAIN LEFT

  100160300  glossy white

CITY. 60X32", rectangular bathtub, integrated apron and flange, drain left, alcove installation, 3/16" sanitary acrylic, bath waste not included, request the bath waste code 100093720 or 100161766



60X30" DRAIN RIGHT

  100178400  glossy white 

CITY. 60X30", rectangular bathtub, integrated apron and flange, drain right, alcove installation, sanitary acrylic, bath waste not included, request the bath waste code 100093720 or 100161766



60X30" DRAIN LEFT

  100178358  glossy white 

CITY. 60X30", rectangular bathtub, integrated apron and flange, drain left, alcove installation, sanitary acrylic, bath waste not included, request the bath waste code 100093720 or 100161766



ACCESSORIES



100093720  chrome

NEXT. pop-up bath waste with overflow



100161766  chrome

NEXT VACIADOR. 2-3/16", clicker bath waste with overflow



100161772  chrome

NEXT VACIADOR. 2-9/16", clicker bath waste with overflow





ACCESSORIES

NK CONCEPT

100328469 chrome

100328503 matt black

NK CONCEPT. robe hook



100328467 chrome

100328486 matt black

NK CONCEPT. towel rail



100328478 chrome

100328464 matt black

NK CONCEPT. towel rail



100328479 chrome

NK CONCEPT. wall-mount tumbler holder



100328488 chrome

NK CONCEPT. wall-mount soap dispenser



100328447 chrome

NK CONCEPT. roll holder with cover



100328468 chrome

100328449 matt black

NK CONCEPT. roll holder without cover



100328483 chrome

100328462 matt black

NK CONCEPT. wall-mount brush holder



100094131 chrome

100211402 matt black

URBAN C. robe hook



100094164 chrome

100211376 matt black

URBAN C. towel holder



100094138 chrome

100211374 matt black

URBAN C. 19-3/4", towel rail



100094139 chrome

100211401 matt black

URBAN C. 23-5/8", towel rail



100094137 chrome

100211375 matt black

URBAN C. 23-5/8", double towel rail



100094167 chrome

100211346 matt black

URBAN C. clean towel rack with extra hanging rail



100094162 chrome

100211393 matt black

URBAN C. wall-mount soap dish



100211348 matt black

URBAN C. wall-mount soap dispenser



100094145 chrome

100211367 matt black

URBAN C. wall-mount tumbler holder



100094163 chrome

100211405 matt black

URBAN C. roll holder without cover



100094161 chrome

100211349 matt black

URBAN C. spare roll holder



100123138 chrome

URBAN C. brush holder, free standing/wall mounted





HOTELS

100102354 chrome

HOTELS. robe hook



100103954 chrome

HOTELS. double robe hook



100102357 chrome

HOTELS. 17-11/16", towel rail



100102358 chrome

HOTELS. 23-5/8", towel rail



100103967 chrome

HOTELS. 23-5/8", double towel rail



100102360 chrome

HOTELS. clean towel rack with extra hanging rail



100102359 chrome

HOTELS. towel holder



100114691 chrome

HOTELS. 23-5/8", shelf



100103944 chrome

HOTELS. 15-3/4", double soap and sponge basket



100103939 chrome

HOTELS. 11-13/16", grab rail



100103945 chrome

HOTELS. 9-5/8", soap and sponge basket



100103946 chrome

HOTELS. corner soap basket



100102356 chrome

HOTELS. roll holder without cover



100103961 chrome

HOTELS. roll holder with cover



100103962 chrome

HOTELS. spare roll holder



100103963 chrome

HOTELS. double roll holder



100103956 chrome

HOTELS. wall/free standing brush holder



100103955 chrome

HOTELS. brush holder





**MIRRORS & SMART
CABINETS**

MIRRORS

31-1/2" X 23-5/8 "

 100251837  mirror_matt black

SQUARE. 31-1/2" X 23-5/8 ", usa mirror square, with light (6.000K / 110V / 36W),, orientable without logo, and black aluminium frame.



55-1/8" X 23-5/8"

 100251814  mirror_matt black

SQUARE. 55-1/8" X 23-5/8", usa mirror square, with light (6.000K / 110V / 60W),, orientable without logo, and black aluminium frame.



19-11/16" X 39-3/8" X 3/16"

100213999  mirror

SMART LINE. 19-11/16" X 39-3/8" X 3/16", mirror, micro-beveled polished border, orientable, without logo



31-1/2" X 23-5/8 "

 100251836  mirror

SMART LINE. 31-1/2" X 23-5/8 ", usa mirror, with light (6.000K / 110V / 36W), and double position/orientable.



31-1/2" X 39-3/8"

 100328924  mirror

LOUNGE. 31-1/2" X 39-3/8", mirror, with light strip illuminated by leds, 9.6 watt x meter white led's, micro-beveled polished border, energy saving led lifetime approx 40,000 hrs, ip44 rated mirror, (6.000K / 110V / 36W),, class 2 and ip67 power supply with ul 1310 certificate



47-1/4" X 31-1/2"

 100328913  mirror

LOUNGE. 47-1/4" X 31-1/2", mirror, with light strip illuminated by leds, 9.6 watt x meter white led's, micro-beveled polished border, energy saving led lifetime approx 40,000 hrs, ip44 rated mirror, (6.000K / 110V / 36W), class 2 and ip67 power supply with ul 1310 certificate



17-11/16" X 35-7/16" X 3/16"

100214013  mirror

SMART LINE. 17-11/16" X 35-7/16" X 3/16", mirror, micro-beveled polished border, orientable, without logo



19-11/16" X 31-1/2" X 3/16"

100214020  mirror

SMART LINE. 19-11/16" X 31-1/2" X 3/16", mirror, micro-beveled polished border, orientable, without logo



23-5/8 " X 31-1/2"

 100251797  mirror

SMART LINE. 23-5/8 " X 31-1/2", usa mirror line, with light (6.000K / 110V / 36W), defogger,, double position/orientable, and with USA switch.



31-1/2" X 31-1/2"

 100251872  mirror

SMART LINE. 31-1/2" X 31-1/2", usa mirror line, with light (6.000K / 110V / 36W), defogger,, double position/reversible, and with USA switch.



47-1/4" X 31-1/2"

 100251805  mirror

SMART LINE. 47-1/4" X 31-1/2", usa mirror line, with light (6.000K / 110V / 36W),, defogger,, orientable without logo, and with USA switch.



39-49/64" X 33-15/32"

NEW  100349599  mirror_matt black

OXO. 39-49/64" X 33-15/32", Mirror with black wooden frame, Perimeter light, Class II, 3000K, 60W, 110V.



31-1/2"

 100251804  mirror

SMART LINE. 31-1/2", usa round mirror, with light (6.000K / 110V / 36W), and logo.



39-3/8"

 100251835  mirror

SMART LINE. 39-3/8", usa round mirror, with light (6.000K / 110V / 36W), and logo.



SMART CABINETS

100165513

SMART CABINETS. 11-13/16"X66-59/64"X5-45/64", wall mounted swivel cabinet, 5 fixed glass shelves, mirror back panel, brilliant aluminium profile "soft line"



100165528

SMART CABINETS. 11-13/16"X66-59/64"X5-45/64", wall-mount cabinet, double side mirror door, 5 glass shelves, mirror back panel, soft closing door, brilliant aluminium profile "soft line"



100292463

SMART CABINETS. 19-1/4"X30"X3-15/16", concealed cabinet, double side mirror door, 2 adjustable glass shelves, mirror back panel, soft closing door, brilliant aluminium profile door "soft line", without logo. Reversible. Left and right opening



100292452

SMART CABINETS. 23-17/64"X30"X3-15/16", concealed cabinet, double side mirror door, 2 adjustable glass shelves, mirror back panel, soft closing door, brilliant aluminium profile door "soft line", without logo. Reversible. Left and right opening.





Edition: 2024 January / Design: Noken Marketing Department / Photography: Noken Marketing Department / Edition: NOKEN DESIGN S.A.U.

The content of this catalogue is protected by copyright and the Intellectual Property Law, Royal Legislative Decree 1/1996. Any reproduction thereof, in whole or in part, without the express authorisation of the Noken may be punishable under current legislation, including the Penal Code.

Noken reserves the right to modify or withdraw products from the catalogue without prior notice, as well as to modify their prices and/or characteristics without prior notice.

The room schemes shown in this catalogue are decorative suggestions for advertising purposes only and should not be used as a guide for the installation of the products. For the installation of the products and to consult their technical characteristics, please refer to the technical data sheets found in the PTC published by Noken. Noken is not responsible for assembly and/or installation errors or defects; it is recommended that the installation is carried out by a professional.

Possible changes in shade or colour must be considered an intrinsic part of the production process of certain products, such as ceramic bathroom fixtures, whether in glossy white or matt colours (white, black, grey...). It is important to be aware that variations in shade, saturation and gloss may occur, depending on the material on which the colouring pigment is applied (ceramic, urea formaldehyde) and the production batch, including possible variations between parts of the same item, such as the ceramic fixture, the seat, the lid or both.

Tones of PVD coated taps may also vary depending on production lots.

In addition to the variables of the production process, the perception of the colour shade is also influenced by the conditions of the light source, viewing angle and the psychophysical characteristics of the observer or the medium used for viewing.

noken.com

